

# Mark Scheme (Results)

June 2011

Modular Mathematics (GCSE)  
Unit 2: 5MB2H\_01 (Higher)

Edexcel is one of the leading examining and awarding bodies in the UK and throughout the world. We provide a wide range of qualifications including academic, vocational, occupational and specific programmes for employers.

Through a network of UK and overseas offices, Edexcel's centres receive the support they need to help them deliver their education and training programmes to learners.

For further information, please call our GCE line on 0844 576 0025, our GCSE team on 0844 576 0027, or visit our website at [www.edexcel.com](http://www.edexcel.com).

If you have any subject specific questions about the content of this Mark Scheme that require the help of a subject specialist, you may find our **Ask The Expert** email service helpful.

Ask The Expert can be accessed online at the following link:  
<http://www.edexcel.com/Aboutus/contact-us/>

June 2011

Publications Code UG028428

All the material in this publication is copyright

© Edexcel Ltd 2011

## NOTES ON MARKING PRINCIPLES

- 1** All candidates must receive the same treatment. Examiners must mark the first candidate in exactly the same way as they mark the last.
- 2** Mark schemes should be applied positively. Candidates must be rewarded for what they have shown they can do rather than penalised for omissions.
- 3** All the marks on the mark scheme are designed to be awarded. Examiners should always award full marks if deserved, i.e if the answer matches the mark scheme. Examiners should also be prepared to award zero marks if the candidate's response is not worthy of credit according to the mark scheme.
- 4** Where some judgement is required, mark schemes will provide the principles by which marks will be awarded and exemplification may be limited.
- 5** Crossed out work should be marked UNLESS the candidate has replaced it with an alternative response.
- 6** Mark schemes will indicate within the table where, and which strands of QWC, are being assessed. The strands are as follows:
  - i) *ensure that text is legible and that spelling, punctuation and grammar are accurate so that meaning is clear*  
Comprehension and meaning is clear by using correct notation and labeling conventions.
  - ii) *select and use a form and style of writing appropriate to purpose and to complex subject matter*  
Reasoning, explanation or argument is correct and appropriately structured to convey mathematical reasoning.
  - iii) *organise information clearly and coherently, using specialist vocabulary when appropriate.*  
The mathematical methods and processes used are coherently and clearly organised and the appropriate mathematical vocabulary used.

**7 With working**

If there is a wrong answer indicated on the answer line always check the working in the body of the script (and on any diagrams), and award any marks appropriate from the mark scheme.

If working is crossed out and still legible, then it should be given any appropriate marks, as long as it has not been replaced by alternative work.

If it is clear from the working that the “correct” answer has been obtained from incorrect working, award 0 marks. Send the response to review, and discuss each of these situations with your Team Leader.

If there is no answer on the answer line then check the working for an obvious answer.

Any case of suspected misread loses A (and B) marks on that part, but can gain the M marks. Discuss each of these situations with your Team Leader.

If there is a choice of methods shown, then no marks should be awarded, unless the answer on the answer line makes clear the method that has been used.

**8 Follow through marks**

Follow through marks which involve a single stage calculation can be awarded without working since you can check the answer yourself, but if ambiguous do not award.

Follow through marks which involve more than one stage of calculation can only be awarded on sight of the relevant working, even if it appears obvious that there is only one way you could get the answer given.

**9 Ignoring subsequent work**

It is appropriate to ignore subsequent work when the additional work does not change the answer in a way that is inappropriate for the question: e.g. incorrect canceling of a fraction that would otherwise be correct

It is not appropriate to ignore subsequent work when the additional work essentially makes the answer incorrect e.g. algebra.

Transcription errors occur when candidates present a correct answer in working, and write it incorrectly on the answer line; mark the correct answer.

**10 Probability**

Probability answers must be given as fractions, percentages or decimals. If a candidate gives a decimal equivalent to a probability, this should be written to at least 2 decimal places (unless tenths).

Incorrect notation should lose the accuracy marks, but be awarded any implied method marks.

If a probability answer is given on the answer line using both incorrect and correct notation, award the marks.

If a probability fraction is given then cancelled incorrectly, ignore the incorrectly cancelled answer.

**11 Linear equations**

Full marks can be gained if the solution alone is given on the answer line, or otherwise unambiguously indicated in working (without contradiction elsewhere). Where the correct solution only is shown substituted, but not identified as the solution, the accuracy mark is lost but any method marks can be awarded.

**12 Parts of questions**

Unless allowed by the mark scheme, the marks allocated to one part of the question CANNOT be awarded in another.

**13 Range of answers**

Unless otherwise stated, when an answer is given as a range (e.g 3.5 – 4.2) then this is inclusive of the end points (e.g 3.5, 4.2) and includes all numbers within the range (e.g 4, 4.1)

Guidance on the use of codes within this mark scheme
M1 – method mark A1 – accuracy mark B1 – Working mark C1 – communication mark QWC – quality of written communication oe – or equivalent cao – correct answer only ft – follow through sc – special case dep – dependent (on a previous mark or conclusion) indep – independent isw – ignore subsequent working



5MB2H_01				
Question	Working	Answer	Mark	Notes
1	$5 \times 6 \div 2$	$15\text{cm}^2$	3	M1 $5 \times 6 \div 2$ oe seen A1 15 B1 $\text{cm}^2$
2 (a)		$3y + 7x + 3$	1	B1 cao
(b)		$2x(x - 2)$	2	B2 for $2x(x - 2)$ . Accept $2x(x + -2)$ . (B1 for $x(2x - 4)$ or $2(x^2 - 2x)$ or $2x(\text{linear expression in } x)$ or $(x - 2)(\text{linear expression in } x)$
(c)	$11 - 3x - 6$	$5 - 3x$	2	M1 for expansion of $-3(x + 2)$ A1 cao
(d)	$3x^2 + 7x - 18x - 42$	$3x^2 - 11x - 42$	2	M1 for 4 terms correct with or without signs or 3 out of exactly 4 terms correct (the terms may be in an expression or table) <b>OR</b> $x(3x + 7) - 6(3x + 7)$ or $3x(x - 6) + 7(x - 6)$ A1 cao

5MB2H_01				
Question	Working	Answer	Mark	Notes
3	<p>(a) <math>48 = 2 \times 24</math>  <math>= 2 \times 2 \times 12</math>  <math>= 2 \times 2 \times 2 \times 6</math>  <math>= 2 \times 2 \times 2 \times 2 \times 3</math>  <b>OR</b>            Use of factor trees</p> <p>(b) Exeter coach after 20, 40, 60, 80, 100...            Plymouth coach after 16, 32, 48, 64, 80, 96, ...  <b>OR</b>            Timetable schedule for the coaches            Exeter coach at 8.00, 8.20, 8.40, 9.00, 9.20...            Plymouth coach at 8.00, 8.16, 8.32, 8.48, 9.04, 9.20...  <b>OR</b>            LCM of 16 and 20 is 80</p>	<p><math>2 \times 2 \times 2 \times 2 \times 3</math></p> <p>9:20(am)</p>	<p>2</p> <p>3</p>	<p>M1 for a systematic method that isolates 2 correct prime numbers            correct divisions by a prime number  <b>OR</b>            an equivalent factor tree            A1 for <math>2 \times 2 \times 2 \times 2 \times 3</math> or <math>2^4 \times 3</math></p> <p>M1 for attempt to list multiples of 16 and 20 (at least first 3 of each, condone 1 addition error)            M1(dep) for identifying their LCM            A1 9:20 am (accept 9:20)  <b>OR</b>            M1 for attempt to draw up a timetable showing when the coaches will run (at least 3 extra times for each, condone 1 addition error)            M1(dep) for identifying the first time common to both timetables            A1 9:20 oe (do not accept 9:20pm)  <b>OR</b>            M1 attempt to find the LCM            M1 for <math>2 \times 2 \times 2 \times 2 \times 5</math> oe seen            A1 9:20 oe (do not accept 9:20pm)</p>
4	<p><math>10\% = 6</math>  <math>6 \times 4 = 24</math></p>	24	2	<p>M1 <math>40 \div 100 \times 60</math> oe or any complete method,            eg <math>10\% = 6</math>, <math>6 \times 4</math>            A1 cao</p> <p>SC B1 for 36 or 84</p>



5MB2H_01				
Question	Working	Answer	Mark	Notes
5 (a)	Table of values $x = -1 \ 0 \ 1 \ 2 \ 3$ $y = \ 2 \ 2 \ 6 \ 10 \ 14$ OR Using $y = mx + c$ , gradient = 4, y intercept = 2	Line from ( -1, 2) to (3,14)	3	<b>(Table of values)</b> M1 for at least 2 correct attempts to find points by substituting values of $x$ . M1 ft for plotting at least 2 of their points (any points plotted from their table must be correct) A1 for correct line between -1 and 3  <b>(No table of values)</b> M2 for at least 2 correct points (and no incorrect points) plotted OR line segment of $y = 4x + 2$ drawn (ignore any additional incorrect segments) (M1 for at least 3 correct points with no more than 2 incorrect points) A1 for correct line between -1 and 3  <b>(Use of <math>y = mx + c</math>)</b> M2 for at least 2 correct points (and no incorrect points) plotted OR line segment of $y = 4x + 2$ drawn (ignore any additional incorrect segments) (M1 for line drawn with gradient 4 OR line drawn with a y intercept of 2) A1 for correct line between -1 and 3
(b)(i)		$y = 4x + c, c \neq 2$	1	B1 Correct equation given.
(ii)		0.25	1	B1 Correct gradient given.  Note 0.25 could be written as $-\frac{1}{4}$ oe

5MB2H_01				
Question	Working	Answer	Mark	Notes
6	$6 \times 2 + 3 \times 2 = 12 + 6 = 18$ or $2 \times 5 + 4 \times 2 = 18$  $18 \div 2.5 = 7.2$ or $2.5 \times 7 = 17.5$ or $2.5 \times 8 = 20$  OR  $6 \times 5 - 4 \times 3 = 18$  $18 \div 2.5 = 7.2$ or $2.5 \times 7 = 17.5$ or $2.5 \times 8 = 20$	8 packs	4	M2 for a complete method for finding the total area (can be implied by 18) (M1 for attempt to calculate at least one area, $6 \times 2 (=12)$ or $3 \times 2$ or $2 \times 5 (=10)$ or $4 \times 2 (=8)$ or $2 \times 2$ or $6 \times 5 (=30)$ or $3 \times 4 (=12)$ ) M1 for their area $\div 2.5$ or repeated addition of 2.5 to within 2.5 of their area C1 for clear communication that 8 full packs are required supported by their calculations, provided at least one of the first two method marks awarded  SC B3 for 8 identified as the answer to the problem.
7	$\frac{3+7}{2}, \frac{8+5}{2}$	$(5, 6\frac{1}{2})$	2	M1 for either $x$ or $y$ coordinate correct or $\frac{3+7}{2}, \frac{8+5}{2}$ , both seen but not correctly evaluated A1 for $(5, 6\frac{1}{2})$ oe
8	(a)  (b)  (c)	$p^8$  $h^5$  $x^6$	3	B1 for $p^8$  B1 for $h^5$  B1 for $x^6$

5MB2H_01				
Question	Working	Answer	Mark	Notes
9	$24 \times 2 = 48$ $56 \div 8 \times 5 = 35$ or $24 \times 2 = 48$ $48 \div 5 \times 8 = 76.8$	Monday	4	M1 for a correct method to obtain two comparable time periods or speeds. eg $24 \times 2$ (= 48 miles), $56 \div 2$ (= 28 km) M1 for a correct method to convert between miles and km or mph and km/h eg      -,      -      -      - A1 for two correct values (using same units) for comparison C1 for day identified from a clear attempt to use comparable time periods and speeds/distances Note: day alone scores zero
10	(a)	$4n + 2$	2	B2 for      oe (B1 for $4n+k$ where $k \neq 2$ )
	(b)	$2 \times 3^2 - 4$ $18 - 4$	2	M1 for $2 \times 3^2 - 4$ A1 cao
11	$360 \div 10$ $36 \div 2$	$18^\circ$	4	M1 for correct method to find the size of an exterior angle eg $360 \div 10$ A1 for 36 M1 for '36' $\div 2$ or $(180 - (180 - 36)) \div 2$ A1 cao OR M1 for correct method to find the size of an interior angle eg $(180 \times 8) \div 10$ A1 144 M1 $(180 - '144') \div 2$ A1 cao

5MB2H_01				
Question	Working	Answer	Mark	Notes
12	$n^2 - 2n + 1 + n^2 + n^2 + 2n + 1 \equiv 3n^2 + 2$	Proof	2	M1 for correct expansion of either $(n - 1)^2$ or $(n + 1)^2$ or $n^2 - 2n + 1$ or $n^2 + 2n + 1$ seen A1 for $3n^2 + 2$ from correct working
13	$42 \div 2 = 21$ $180 - 90 - 21 = 69$ $69 \times 2 = 138$	$138^\circ$	3	M1 for 90 seen. A1 for 138 (accept 222) C1 for The tangent to a circle is perpendicular ( $90^\circ$ ) to the radius (diameter) and Angles in a triangle add up to $180^\circ$  <b>OR</b>  The tangent to a circle is perpendicular ( $90^\circ$ ) to the radius (diameter) and Angles in a quadrilateral (4 sided shape) add up to $360^\circ$
14	(a) $5\sqrt{9 \times 3}$	$15\sqrt{3}$	2	M1 for sight of $\sqrt{9 \times 3}$ or $\sqrt{9} \sqrt{3}$ or $3\sqrt{3}$ A1 for $15\sqrt{3}$ (accept $n = 15$ )
	(b)	$7\sqrt{3}$	2	M1 for $\frac{21\sqrt{3}}{\sqrt{3}\sqrt{3}}$ A1 for $7\sqrt{3}$ (accept $\frac{21\sqrt{3}}{3}$ )

5MB2H_01				
Question	Working	Answer	Mark	Notes
15 (a)		3	1	B1 cao
(b)		$\frac{1}{5}$	2	M1 $\frac{1}{25^{\frac{1}{2}}}$ or $\sqrt{25} = 5$  A1 $\frac{1}{5}$ or $5^{-1}$ or 0.2
16 (a)	$\frac{2(y-6)}{(y-6)(y-2)}$	$\frac{2}{y-2}$	3	M1 $2(y-6)$ M1 $(y-6)(y-2)$ A1 cao
(b)	$\frac{3(x+5) - (x-4)}{(x-4)(x+5)}$	$\frac{3(x+5) - (x-4)}{(x-4)(x+5)}$	2	M1 for $3(x+5)$ or $3x+15$ or $3x+5$ or $-(x-4)$ or $-x+4$ or $-x-4$ or $(x-4)(x+5)$  A1 for $\frac{3(x+5) - (x-4)}{(x-4)(x+5)}$ oe

Further copies of this publication are available from  
Edexcel Publications, Adamsway, Mansfield, Notts, NG18 4FN

Telephone 01623 467467

Fax 01623 450481

Email [publication.orders@edexcel.com](mailto:publication.orders@edexcel.com)

Order Code UG028428 June 2011

For more information on Edexcel qualifications, please visit  
[www.edexcel.com/quals](http://www.edexcel.com/quals)

Pearson Education Limited. Registered company number 872828  
with its registered office at Edinburgh Gate, Harlow, Essex CM20 2JE

Ofqual



Llywodraeth Cynulliad Cymru  
Welsh Assembly Government

